

Technical Sheet

FM-744

Heavy duty four segments shield anchor

FRÜL
SIDER

SIMPSON
StrongTie

CE



FIX
CALC



SIMPSON
StrongTie
FRÜLSIDER
Supplied in
dual-branded packaging

Heavy duty four segments shield anchor

Product Dimension - Anchor only

Reference	Metallic fixings dimensions				
	Product Dimensions[mm]		Product Reference	Other	
	Plug[mm]	For screw		Qty per box[stk]	Qty per outer box
* <i>Certified product when coupled with hex head screw DIN933 grade 8.8 and washer DIN125-1</i>					

Product Dimension - Hex head screw grade 8.8

Reference	Metallic fixings dimensions				
	Product Dimensions[mm]		Product Reference	Other	
	Plug[mm]	Hex head screw		Qty per box[stk]	Qty per outer box
74411B1004000	10x40	M6x50	FM-744	50.0	500
74411B1405000	14x50	M8x60	FM-744	50.0	250
74411B1606000	16x60	M10x80	FM-744	25.0	125
74411B2008000	20x80	M12x90	FM-744	20.0	100

Product Dimension - Threaded bar grade 5.8

Reference	Metallic fixings dimensions				
	Product Dimensions[mm]		Product Reference	Other	
	Plug[mm]	Bar		Qty per box[stk]	Qty per outer box
** <i>Not covered by CE certification</i>					

Product Dimension - Forged cup hook

Reference	Metallic fixings dimensions					
	Product Dimensions[mm]			Product Reference	Other	
	Plug[mm]	Cup hook	Internal Ø hook or eye [Ø][mm]		Qty per box[stk]	Qty per outer box
** Not covered by CE certification						

Product Dimension - Forged eye

Reference	Metallic fixings dimensions					
	Product Dimensions[mm]			Product Reference	Other	
	Plug[mm]	Eye	Internal eye[mm]		Qty per box[stk]	Qty per outer box
** <i>Not covered by CE certification</i>						

FM-744

Heavy duty four segments shield anchor

Winchester Road Cardinal Point Tamworth
Staffordshire B78 3HG
tel: +44 1827 255600
fax: +44 1827 255616

Copyright by Simpson Strong-Tie®

Information presented on this document is the exclusive property of Simpson Strong-Tie®
It is valid only when associated with products supplied by Simpson Strong-Tie®

FM-744

Heavy duty four segments shield anchor

2026-10-25



www.strongtie.co.uk