Technical Sheet

MP
Mending Plate

The MP is an easy to use connector for timber splices, no nails required.
For non-structural applications only; not for truss applications.

Features

Material

- Pre-galvanised mild steel

Benefits

b

Applications

Suitable On

b

When to Use

- Jointing of 2 pieces.
- Reinforcement of damaged or split assemblies.
- Boxes, etc.







MP24



MP25/100



MP50/100



MP50/100



MP75/150



Installed





MP25-1001



MP50/100



Installed

Technical Sheet

MP
Mending Plate

Technical Data

Product dimensions



Reference	Connector Dimensions		
	Product Dimensions[mm]		Other
	A[mm]	B[mm]	Weight[kg]
MP25/100	25	100	0.02
MP50/100	50	100	0.052
MP75/150	75	150	0.09

MP
Mending Plate

Installation

Fixing

Does not require any additional accessory.
DO NOT USE IN STRUCTURAL APPLICATIONS. AVOID SPLITTING THE WOOD.



MP14



MP24



MP36





Installed

MP
Mending Plate

Options



MP25/100



MP50/100



MP75/150

Winchester Road Cardinal Point Tamworth Staffordshire B78 3HG
tel: +44 1827 255600
fax: +44 1827 255616
Copyright by Simpson Strong-Tie®
Information presented on this document is the exclusive property of Simpson Strong-Tie®
It is valid only when associated with products supplied by Simpson Strong-Tie®