Technical Sheet

QDPROPP38

Quik Drive Metal Roofing Clips and Steel Decking System

The QDPROPP38KE Quik Drive attachment has an innovative precision placement nosepiece which allows for easy location of the holes in metal roofing clips. Quik Drive attachments are manufactured containing PTFE to reduce friction and impart non-stick properties meaning that no lubrication is required. The QDPROPP38E kit comes complete with extension pole to allow for stand up and drive, improved ergonomics and increased health and safety benefits.





Features

Material

- Manufactured containing PTFE
- No lubrication required

Benefits

- Connects easily with screw gun adapter or extension
- Possible 360° rotation of attachment on adapter or extension
- Self-lubricating material for long life and smooth operation
- Self-locking depth adjustment for consistent countersinking of screws
- Extension pole included

Applications

Common Applications

- Steel roofing
- Steel decking
- Stitching

Technical Sheet

QDPROPP38

Quik Drive Metal Roofing Clips and Steel Decking System

Technical Data

Areas of use

Reference
QDPROPP38KE

Installation



Remove screw driver sleeve.



Then remove the cap.



Install the adaptor.



Insert the mandrel.



Engage the gun with the mandrel and snap it onto the adapter.



Insert the tape screw tip pointed up: your screwdriver is ready!

Copyright by Simpson Strong-Tie®
Information presented on this document is the exclusive property of Simpson Strong-Tie®
It is valid only when associated with products supplied by Simpson Strong-Tie®