
**Technical Sheet**

QDPRO51E
**Quik Drive Tool for Drywall Applications**

The QDPRO51E is a Quik Drive attachment suitable for screws ranging from 25mm to 51mm in length. Predominantly used for drywall applications due to the smooth nose piece which prevents marking of the work surface. Quik Drive attachments are manufactured containing PTFE to reduce friction and impart non-stick properties meaning that no lubrication is required. Available with or without extension pole.







# Features

## Material

- Manufactured containing PTFE
- No lubrication required

## Benefits

- Connects easily with screw gun adapter or extension
- Possible 360° rotation of attachment on adapter or extension
- Self-lubricating material for long life and smooth operation
- Self-locking depth adjustment for consistent countersinking of screws
- Available as attachment only or with extension pole

## Available Kits

**QDPRO51E: Includes Quik Drive attachment, mandrel, driver bits, quiver and small carry case**
**QDPRO51KE: Includes Quik Drive attachment, mandrel, driver bits, quiver, large carry case and extension pole**

# Applications

## Applications

- Drywall
- Finish flooring
- Light gauge steel

**Technical Sheet**

QDPRO51E
**Quik Drive Tool for Drywall Applications**

# Technical Data

## Areas of use

| Reference |
|---|
| QDPRO51E |
| QDPRO51KE |

# Installation



*Remove screw driver sleeve.*



*Then remove the cap.*



*Install the adaptor.*



*Insert the mandrel.*



*Engage the gun with the mandrel and snap it onto the adapter.*



*Insert the tape screw tip pointed up: your screwdriver is ready!*


Copyright by Simpson Strong-Tie®
Information presented on this document is the exclusive property of Simpson Strong-Tie®
It is valid only when associated with products supplied by Simpson Strong-Tie®