Technical Sheet

QDPRO76SKE
Quik Drive Tool for Flooring and Decking Applications

The QDPRO76SKE is a Quik Drive attachment suitable for screws ranging from 38mm to 76mm in length. The serrated nose piece provides increased stability and prevents skidding on smooth or slippery surfaces. Quik Drive attachments are manufactured containing PTFE to reduce friction and impart non-stick properties meaning that no lubrication is required. The QDPRO76SKE kit comes complete with extension pole to allow for stand up and drive, improved ergonomics and increased health and safety benefits.

















Features

Material

- Manufactured containing PTFE
- No lubrication required

Benefits

- Connects easily with screw gun adapter or extension
- Possible 360° rotation of attachment on adapter or extension
- Self-lubricating material for long life and smooth operation
- Self-locking depth adjustment for consistent countersinking of screws
- Available as attachment only or with extension pole
- Replaceable serrated teeth to prevent skidding or slipping

Kit Includes

QDPRO76SE Quik Drive attachment, mandrel, driver bits, quiver, large carry case and extension pole

Applications

Common Applications

- Flooring
- Decking

Technical Sheet

QDPRO76SKE

Quik Drive Tool for Flooring and Decking Applications

Technical Data

Areas of use

Reference
QDPRO76SKE

QDPRO76SKE
Quik Drive Tool for Flooring and Decking Applications

Installation



Remove screw driver sleeve.



Then remove the cap.



Install the adaptor.



Insert the mandrel.



Engage the gun with the mandrel and snap it onto the adapter.



Insert the tape screw tip pointed up: your screwdriver is ready!

Winchester Road Cardinal Point Tamworth
Staffordshire B78 3HG
tel: +44 1827 255600
fax: +44 1827 255616

Copyright by Simpson Strong-Tie®
Information presented on this document is the exclusive property of Simpson Strong-Tie®
It is valid only when associated with products supplied by Simpson Strong-Tie®