
Technical Sheet

SSDTH

SSDTH WOOD CLADDING and DECKING Screw

SSDTH is a stainless steel screw with a trim head and sharp point tip suitable for wood cladding & decking installation.





Features

Material

- Stainless steel A2

Benefits

- Wood cladding applications
- Wood decking applications
- Suitable for external use
- Sharp point
- Box thread
- 305 grade stainless steel
- Bit (BIT2SE) included
- Countersunk head for a neat finish
- Tapered point
- Corrosion resistant material

Applications

Header member

Softwood including:

- Cedar
- Pine
- Spruce
- Larch
- Fir

Applications


- Softwood deck boards on coniferous joists...

Technical Sheet

SSDTH

SSDTH WOOD CLADDING and DECKING Screw

Technical Data



Dimensions and caracteristics values

Reference	Fasteners Dimensions						
	Product Dimensions[mm]			QD information			Other
	d_h[mm]	d[mm]	l[mm]	Qty per Strip	Quik Drive Attachment	Recommended RPM[tr/min]	Qty per Box
SSDTH64E	6.3	4.2	64	30.0	QDPR064E / QD76KE / QDPR076SKE	2500.0	1000.0

SSDTH
SSDTH WOOD CLADDING and DECKING Screw

Options







Tapered tip

Winchester Road Cardinal Point Tamworth
Staffordshire B78 3HG
tel: +44 1827 255600
fax: +44 1827 255616

Copyright by Simpson Strong-Tie®
Information presented on this document is the exclusive property of Simpson Strong-Tie®
It is valid only when associated with products supplied by Simpson Strong-Tie®

2026-11-12